

PRODUCT SPECIFICATIONS

NATURAL ORIGINAL Blower Truck Mesh

PURPOSE & DESCRIPTION

Filtrex **NATURAL ORIGINAL Blower Truck Mesh** is compost sock mesh for field installation with blower trucks or track machines. **NATURAL ORIGINAL Blower Truck mesh** is 100% natural and biodegradable, eliminating the need for field removal. Leave in place for ongoing, natural protection.

APPLICATIONS

- Perimeter Control
- Inlet Protection
- Check Dams
- Slope Interruption

FOR ADDITIONAL INFORMATION

Refer to the **Filtrex Catalog** for full item listings.



Refer to **Filtrex Design Specifications** for complete application, design, installation, maintenance, and removal documentation at www.filtrex.com/specs

FIELD APPLICATION PHOTO REFERENCES



NATURAL ORIGINAL Blower Truck Mesh used as Slope Interruption.

NATURAL ORIGINAL Blower Truck Mesh Specifications

Product Name	NATURAL ORIGINAL Blower Truck Mesh
Mesh Material Type	All Natural Biodegradable Cotton Fiber
Uses	leave on site; short-term
Mesh Opening Size	1/8"
Diameters	5", 8", 12"
Functional Longevity/ Project Duration ¹	up to 12 mo
Tensile Strength (ASTM D4595) ²	MD: 193 lbs TD: 158 lbs
Packaging	Rolls
Mesh Color	 beige
Mesh Sample	

¹Functional longevity ranges are estimates only. Site specific environmental conditions may result in significantly shorter or longer time periods.

²Tensile Strength is based on 12" diameter using ATSM D4595. See Filtrex TechLink #3342 for full tensile strength testing.

Filtrex Mesh is in compliance with most state & federal agencies including:



Filtrex[®] and the branch & leaf logo[®] are Registered Trademarks used by Filtrex International.

The information contained herein may be subject to confidential intellectual property of Filtrex International, including but not limited to US Patents 7,226,240; 7,452,165; 7,654,292; 8,272,812; 8,439,607; 8,740,503; 8,821,076; 9,044,795; 9,945,090; and 9,982,409 or Patents Pending and is the property of Filtrex International.

Copyright 2005-2021, Filtrex International, all rights reserved. Unauthorized reproduction prohibited. All statements, product characteristics, and performance data contained herein are believed to be reliable based on observation and testing, but no representations, guarantees, or warranties of any kind are made as to accuracy, suitability for particular applications, or the results to be obtained. Nothing contained herein is to be considered to be permission or a recommendation to use any proprietary process or technology without permission of the owner. No warranty of any kind, expressed or implied, is made or intended.