



## SEDIMENT CONTROL



## CONSTRUCTION SITE BARRIERS



## STORMWATER MANAGEMENT



## LID & GREEN INFRASTRUCTURE



**filtrex<sup>®</sup>**  
SUSTAINABLE TECHNOLOGIES

## PRODUCT CATALOG 2020

CONSTRUCTION APPLICATIONS

SEDIMENT  
CONTROL



CONSTRUCTION  
SITE BARRIERS




POST-CONSTRUCTION APPLICATIONS

STORMWATER  
MANAGEMENT



LID & GREEN  
INFRASTRUCTURE



# TABLE OF CONTENTS

## CONSTRUCTION APPLICATIONS

### **SEDIMENT CONTROL**

<b>SiltSoxx™ Prefilled Compost Filter Sock</b>	<b>2</b>
SiltSoxx ORIGINAL	3
SiltSoxx EXTREME	4
SiltSoxx NATURAL	4
<b>Compost Blanket Lockdown Netting</b>	<b>5</b>
<b>Mesh Netting for Compost Filter Sock</b>	<b>6</b>
Blower Truck Mesh Netting	7

### **CONSTRUCTION SITE BARRIERS**

<b>Traffic Marker™</b>	<b>8</b>
<b>Safety Fence</b>	<b>9</b>

## POST-CONSTRUCTION APPLICATIONS

### **STORMWATER MANAGEMENT**

<b>EnviroSoxx® Pollutant Filter</b>	<b>10</b>
Advanced Blend	11
Industrial Blend	11
<b>DrainChexx® Inlet Filter Mat</b>	<b>11</b>

### **LID & GREEN INFRASTRUCTURE**

<b>GroSoxx® Vegetated Compost Sock</b>	<b>12</b>
<b>GreenLoxx® Stabilization System</b>	<b>13</b>

Note: Product availability may vary due to local manufacturing and/or regulatory requirements.



SEDIMENT CONTROL

SILTSOXX PREFILLED COMPOST FILTER SOCK



**SiltSoxx**

SiltSoxx by Filtrexx is the quickest, easiest and most cost effective solution for sediment control. Easily installed for a variety of construction applications, SiltSoxx reduces the labor cost required for installation and maintenance, while delivering optimal performance. SiltSoxx is prefilled with certified FilterMedia™, ready to ship and easy to install. Available in a variety of sizes, configurations, and mesh materials for any project requirements. All SiltSoxx mesh is knitted in the USA, and all FilterMedia is locally sourced. SiltSoxx is in compliance with most state & federal agency specifications and regulations. Common applications include perimeter control, inlet protection, check dams, and slope interruption.

SiltSoxx ORIGINAL (pg 3)

Our SiltSoxx ORIGINAL strength mesh is the most widely recognized and used product in the industry. Available in green/black stripe for visibility or to blend into green vegetation areas, or tan to blend into brown or dry landscape areas.

SiltSoxx EXTREME (pg 4)







Our most durable mesh material, SiltSoxx EXTREME is specially designed to withstand the harsh surface conditions of asphalt and concrete. With an extra tough, wear & tear resistant mesh, this product is perfect for urban construction and/or when dealing with rugged conditions. Available in green/black stripe or solid orange for safety visibility.

SiltSoxx NATURAL (pg 4)

This line of mesh is 100% natural and biodegradable, eliminating the need for field removal. Leave in place for ongoing, natural protection.

SiltSoxx NATURAL ORIGINAL: Cotton fiber; functional field longevity up to 12 months.








SiltSoxx NATURAL PLUS: Wood fiber; functional field longevity up to 18 months.

Product Name	SiltSoxx ORIGINAL (pg 3)	SiltSoxx EXTREME (pg 4)	SiltSoxx NATURAL ORIGINAL (pg 4)	SiltSoxx NATURAL PLUS (pg 4)
Mesh Material Type	Multi-Filament Polypropylene (MFPP)	Multi-Filament Polypropylene (MFPP)	All Natural Biodegradable Cotton Fiber	All Natural Biodegradable Wood Fiber
Uses	standard applications	hard surfaces; rugged sites; high traffic	leave on site; short-term	leave on site; long-term
Mesh Opening Size	1/8"	1/16"	1/8"	1/8"
Diameters	5", 8", 12", 18", 24"	8", 12"	5", 8", 12"	5", 8", 12"
Functional Longevity/ Project Duration*	up to 5 yr	up to 5 yr	up to 12 mo	up to 18 mo
Fill Material	Locally sourced FilterMedia	Locally sourced FilterMedia	Locally sourced FilterMedia	Locally sourced FilterMedia
Mesh Color	 green/thin black stripe  tan (5" & 8" only)	 green/black thick stripe  orange	 beige	 off-white

\*Functional longevity ranges are estimates only. Site specific environmental conditions may result in significantly shorter or longer time periods.

# SILTSOXX PREFILLED COMPOST FILTER SOCK

## SiltSoxx ORIGINAL

SiltSoxx Diameter	Mesh Type / Color	Item Number	Total Length	Unit Length	Units/Pallet	Stakes/Pallet	Pallet Pkg
5 inch	 ORIGINAL Mesh green/thin black stripe	P05-400S16	400 ft	25 ft	16	64	wrapped
		P05-400S40	400 ft	10 ft	40	80	wrapped
		P05-400S2	400 ft	200 ft	2	42	wrapped
	 ORIGINAL Mesh tan	P05T-400S16	400 ft	25 ft	16	64	wrapped
		P05T-400S40	400 ft	10 ft	40	80	wrapped
		P05T-400S2	400 ft	200 ft	2	42	wrapped
8 inch	 ORIGINAL Mesh green/thin black stripe	P08-180S18	180 ft	10 ft	18	36	wrapped
		PB08-180S18	180 ft	10 ft	18	36	bagged
		P08-200	200 ft	200 ft	1	21	wrapped
		PB08-200	200 ft	200 ft	1	21	bagged
	 ORIGINAL Mesh tan	P08T-180S18	180 ft	10 ft	18	36	wrapped
		P08T-200	200 ft	200 ft	1	21	wrapped
12 inch	 ORIGINAL Mesh green/thin black stripe	P12-100S10	100 ft	10 ft	10	20	wrapped
		PB12-100S10	100 ft	10 ft	10	20	bagged
		P12-110	110 ft	110 ft	1	12	wrapped
		PB12-110	110 ft	110 ft	1	12	bagged
18 inch	 ORIGINAL Mesh green/thin black stripe	P18-50S5	50 ft	10 ft	5	10	wrapped
		PB18-50S5	50 ft	10 ft	5	10	bagged
		P18-55	55 ft	55 ft	1	7	wrapped
		PB18-55	55 ft	55 ft	1	7	bagged
24 inch	 ORIGINAL Mesh green/thin black stripe	P24-30S3	30 ft	10 ft	3	6	wrapped
		P24-30	30 ft	30 ft	1	4	wrapped
		PB24-30	30 ft	30 ft	1	4	bagged

Diameter	Stake Size
5 inch	1" x 1" x 12"
8 inch	2" x 2" x 24"
12 inch	2" x 2" x 24"
18 inch	2" x 2" x 36"
24 inch	2" x 2" x 36"

### Notes:

Approximate Pallet Weight Range: 1600-1900 lbs

Approximate Pallet Dimension Range: 48"L x 40"W x 55"-70"H

Pallet Packaging, Wrapped: black plastic wrapped w/high UV pallet cap





Pallet Packaging, Bagged: white heavy duty super sack with forklift straps, available in select locations

Some pallet items are available without stakes – call for availability

SEDIMENT CONTROL


SILTSOXX PREFILLED COMPOST FILTER SOCK

SiltSoxx EXTREME


SiltSoxx Diameter	Mesh Type / Color	Item Number	Total Length	Unit Length	Units/ Pallet	Pallet Pkg
8 inch	 EXTREME Mesh green/thick black stripe	PE08-180S18	180 ft	10 ft	18	wrapped
		PE08-200S2	200 ft	100 ft	2	wrapped
	 EXTREME Mesh orange	PEH08-180S18	180 ft	10 ft	18	wrapped
		PEH08-200S2	200 ft	100 ft	2	wrapped
12 inch	 EXTREME Mesh green/thick black stripe	PE12-100S10	100 ft	10 ft	10	wrapped
		PE12-110	110 ft	110 ft	1	wrapped
	 EXTREME Mesh orange	PEH12-100S10	100 ft	10 ft	10	wrapped
		PEH12-110	110 ft	110 ft	1	wrapped

**Notes: Stakes not included on SiltSoxx EXTREME products.**  
Pallet Packaging, Wrapped: black plastic wrapped w/high UV pallet cap. Approximate Pallet Weight Range: 1625-1800 lbs  
Approximate Pallet Dimension Range: 48”L x 40”W x 65”-70”H

SiltSoxx NATURAL ORIGINAL (biodegradable; up to 12 month longevity)

Color	SiltSoxx Diameter	Item Number	Total Length	Unit Length	Units/ Pallet	Stakes/ Pallet	Pallet Pkg
 beige	5 inch	PC05-400S40	400 ft	10 ft	40	80	wrapped
		PC05-400S16	400 ft	25 ft	16	64	wrapped
		PC05-400S2	400 ft	200 ft	2	42	wrapped
	8 inch	PC08-180S18	180 ft	10 ft	18	36	wrapped
		PC08-200	200 ft	200 ft	1	21	wrapped
	12 inch	PC12-100S10	100 ft	10 ft	10	20	wrapped
		PC12-110	110 ft	110 ft	1	12	wrapped

SiltSoxx NATURAL PLUS (biodegradable; up to 18 month longevity)

Color	SiltSoxx Diameter	Item Number	Total Length	Unit Length	Units/ Pallet	Stakes/ Pallet	Pallet Pkg
 off-white	5 inch	PW05-400S40	400 ft	10 ft	40	80	wrapped
		PW05-400S16	400 ft	25 ft	16	64	wrapped
		PW05-400S2	400 ft	200 ft	2	42	wrapped
	8 inch	PW08-180S18	180 ft	10 ft	18	36	wrapped
		PW08-200	200 ft	200 ft	1	21	wrapped
	12 inch	PW12-100S10	100 ft	10 ft	10	20	wrapped
		PW12-110	110 ft	110 ft	1	12	wrapped

Diameter	Stake Size
5 inch	1” x 1” x 12”
8 inch	2” x 2” x 24”
12 inch	2” x 2” x 24”



**Notes: All SiltSoxx NATURAL products are made to order due to biodegradable properties.**  
Approximate Pallet Weight Range: 1600-1800 lbs  
Approximate Pallet Dimension Range: 48”L x 40”W x 60”-70”H  
Pallet Packaging, Wrapped: black plastic wrapped w/high UV pallet cap

## COMPOST BLANKET MESH NETTING

## Lockdown Netting

**Lockdown Netting** is a single net rolled erosion control product (RECP) that is designed to increase the slope stabilization and erosion control capabilities of temporary seeding and compost blankets.



Net Type	Net Color	Item Number	Roll Size	Coverage (sq ft/roll)	Roll Weight	Rolls/Pallet
5 mm polypropylene	 black	LDN1	30 ft x 375 ft	6,000 sq ft	30 lbs	16
5 mm monofilament HDPE	 green	LDN2	30 ft x 375 ft	6,000 sq ft	22 lbs	16

**Notes:**

One roll per box, 16 boxes per pallet.

SEDIMENT CONTROL

BLOWER TRUCK MESH NETTING



Filtrex Mesh Netting

The mesh you choose matters. Filtrex Mesh Netting is the original compost sock netting for field installation with blower trucks or track machines. Reliable and durable, multiple mesh types ensure the right fit for your job.

**BASIC** Blower Truck Mesh

Meet all specs with this economical mesh that is good for most short-term applications.

**BASIC PLUS** Blower Truck Mesh

Meets or exceeds specs with higher durability and longer field life. Available in larger diameter sizes for any project.

**DURABLE** Blower Truck Mesh

Our most durable blower truck mesh meets durability, strength and longevity needs for standard applications. Available in longer length rolls and larger diameters.

**NATURAL ORIGINAL** Blower Truck Mesh

This 100% cotton mesh is biodegradable, eliminating the need for field removal. Functional field longevity up to 12 months.







Product Name	BASIC Blower Truck Mesh	BASIC PLUS Blower Truck Mesh	DURABLE Blower Truck Mesh	NATURAL ORIGINAL Blower Truck Mesh
Mesh Material Type	5mil High Density Polyethylene (HDPE)	Multi-Filament Polypropylene (MFPP)	Multi-Filament Polypropylene (MFPP)	All Natural Biodegradable Cotton Fiber
Uses	On-site blower truck installation	On-site blower truck installation	On-site blower truck installation	On-site blower truck installation
Mesh Opening Size	3/8"	3/8"	1/8"	1/8"
Diameters	8", 12", 18"	8", 12", 18", 24", 32"	8", 12", 18", 24", 32"	5", 8", 12"
Functional Longevity/ Project Duration*	up to 4 yr	up to 4 yr	up to 5 yr	up to 12 mo
Packaging	Rucks	Rucks	Rolls	Rolls
Mesh Color	<div><div></div> black (8", 12", 18")<div><div></div> yellow/black (8")<div><div></div> orange/black (12")<div><div></div> red/black (18")</div></div></div><div><div></div> black</div></div>	<div><div></div> black</div>	<div><div></div> black</div>	<div><div></div> beige</div>

\*Functional longevity ranges are estimates only. Site specific environmental conditions may result in significantly shorter or longer time periods.




# BLOWER TRUCK MESH NETTING


## BASIC Blower Truck Mesh (5 MIL HDPE)

Diameter	Color	Item Number	Unit Type	Length /Unit	Filled length /Unit*	Units/ Pallet	Total Feet / Pallet	Total filled feet/ pallet*
8 inch	 black	J120-L2R-001	Rucks	200'	140'	80	16,000'	11,200'
	 yellow/black	J120-L2R-003	Rucks	200'	140'	80	16,000'	11,200'
12 inch	 black	J204-L2R-026	Rucks	200'	140'	90	18,000'	12,600'
	 orange/black	J204-L2R-030	Rucks	200'	140'	90	18,000'	12,600'
18 inch	 black	J304-L2R-022	Rucks	200'	140'	72	14,400'	10,080'
	 red/black	J304-L2R-024	Rucks	200'	140'	72	14,400'	10,080'


## BASIC PLUS Blower Truck Mesh (MFPP)

Diameter	Color	Item Number	Unit Type	Length /Unit	Filled length /Unit*	Units/ Pallet	Total Feet / Pallet	Total filled feet/ pallet*
8 inch	 black	J120-P2R-005	Rucks	200'	140'	112	22,400'	15,680'
12 inch		J204-P2R-005	Rucks	200'	140'	80	16,000'	11,200'
18 inch		J304-P2R-007	Rucks	200'	140'	90	18,000'	12,600'
24 inch		J352-P2R-005	Rucks	200'	140'	70	14,000'	9,800'
32 inch		J472-P2R-004	Rucks	200'	140'	60	12,000'	8,400'

## DURABLE Blower Truck Mesh (MFPP)

Diameter	Color	Item Number	Unit Type	Length /Unit	Filled length /Unit*	Units/ Pallet	Total Feet / Pallet	Total filled feet/ pallet*
8 inch	 black	J016-PW-004	Rolls	300'	270'	45	13,500'	12,150'
12 inch		J016-PW-005	Rolls	300'	255'	42	12,600'	10,710'
18 inch		J024-PW-006	Rolls	300'	255'	45	13,500'	11,475'
24 inch		J024-PW-003	Rucks	300'	225'	18	5,400'	4,050'
32 inch		J024-PW-009	Rolls	300'	225'	24	7,200'	5,400'

## NATURAL ORIGINAL Blower Truck Mesh (COTTON)

Diameter	Color	Item Number	Unit Type	Length / Unit	Filled length /Unit*	Units/ Pallet	Total Feet / Pallet	Total filled feet/ pallet*
5 inch	 beige	J014-PW-001	Rolls	211'	200'	50	10,550'	10,000'
8 inch		430-000394	Rolls	224'	200'	45	10,080'	9,000'
12 inch		430-000395	Rolls	254' (2@127')	2@110'	42	10,668'	9,240'


**Notes:** \*Filled length is an approximate yield. As mesh is filled, it contracts in length. All rolls & rucks are packed loose on a pallet and wrapped. Exclusions: \*8" Basic 5 mil packed 5 rucks per box and 16 boxes per pallet and wrapped; \*8" Basic Plus MFPP packed 7 rucks per box and 16 boxes per pallet and wrapped. Must be ordered in full box increments.



# Traffic Marker

Traffic Marker by Filtrexx provides sediment control for construction areas with vehicle traffic. Common applications include work site entrances/exits, bridges, and stream crossings.

- Features:
- Easy to move with attached handles
  - Lightweight pine straw fill material; dries out quickly
  - Durable, high-visibility outer mesh
  - Reusable from site to site
  - Easy to store and handle; securely packaged
  - Use with other Filtrexx BMPs

Diameter	Mesh Color	Fill Material	Item Number	Unit Length
9 inch	 orange	Pine straw	STM09-15	15 ft
		Pine straw	STM09-22	22 ft



Note: Stakes not included on Traffic Marker products.

## Safety Fence

Filtrex Safety Fence is available in a variety of configurations in two standard shapes, oval and diamond. All Safety Fence contains UV stabilizers for extended outdoor use — with temperature service ranges from -40 to 200 degrees Fahrenheit for most applications. Durable, high visibility, cost effective, and Made in U.S.A.

Common applications: construction-site safety, vegetation & sensitive area protection, snow management



Color	Shape	Product Name	Item Number	Roll Size (feet)	Roll Weight	Approx. Opening	Rolls/Pallet
 orange	Oval Shape	Perimeter Standard	X05645-002	4 x 100	10 lbs	1.8 x 1.8	50
		Perimeter Plus	X05650-002	4 x 100	13 lbs	3.8 x 1.8	50
 orange	Diamond Shape	Smooth Top - Standard	X06030-003	4 x 100	24 lbs	1.5 x 1.5	16
		Smooth Top - Heavy Duty	X06040-002	4 x 50	16 lbs	1.5 x 1.5	25
			X06040-003	4 x 100	32 lbs	1.5 x 1.5	12

### Notes:

Pricing is based on the total order size (pallet quantities only). Orders containing multiple fence part numbers will be combined ("bundled") to determine best price for all products ordered - based on the total number ordered. Products ordered and shipped in full pallet quantities only. All products have a 1 pallet minimum order unless noted above.



## EnviroSoxx Pollutant Filter

EnviroSoxx by Filtrexx is the most versatile and cost effective filter for stormwater pollutant removal. A passive filtration system ready to install on any site, EnviroSoxx targets the most common pollutants in stormwater runoff. EnviroSoxx contains compost FilterMedia plus natural sorbents used to increase pollutant removal capacity, and to reduce pollutant transport in runoff and absorption by plants. EXTREME durable mesh stands up to hard surfaces and harsh site conditions. Recommended replacement is quarterly or per site conditions.

EnviroSoxx is available in two filter blends to target common pollutants.

**Advanced Blend Filter:** One filter targets the four common pollutant groups.

**Industrial Blend Filter:** Targets only heavy metals and hydrocarbons.



### ENVIROSOXX ADVANCED BLEND FILTER

Pollutant Group	Pollutant	Removal Rates <sup>1</sup>
Heavy Metals	Cadmium	73%
	Diesel	99%
Hydrocarbons	Motor Oil	99%
	Gasoline	54%
Nutrients	Soluble Phosphorus	93%
	Ammonium Nitrogen (NH4-N)	54%
Bacteria	E. coli	99%
	Total coliforms	99%
General	Total solids	98%
	TSS	80%
	Turbidity	63%

### ENVIROSOXX INDUSTRIAL BLEND FILTER

Pollutant Group	Pollutant	Removal Rates <sup>1</sup>
Heavy Metals	Cadmium	73%
	Lead	73%
	Copper	70%
	Nickel	69%
	Zinc	53%
	Chromium	47%
Hydrocarbons	Diesel	99%
	Motor Oil	99%
	Gasoline	54%
General	Total Solids	98%
	TSS	80%
	Turbidity	63%

<sup>1</sup>Removal rates vary by pollutant and are based on third-party research, actual removal rates may vary and are highly dependent on site specific environmental conditions including flow rate, flow volume, pollutant concentration, pollutant load, proper installation, maintenance, and design. See [filtrexx.com](http://filtrexx.com) for research references.

Product Name	EnviroSoxx EXTREME Mesh
Mesh Material Type	Multi-Filament Polypropylene (MFPP)
Uses	hard surfaces; industrial sites; high traffic
Diameters	8", 12"
Functional Longevity*	Quarterly replacement recommended
Fill Material	Locally sourced FilterMedia + additives
Mesh Color	 light green/black stripe (Advanced Blend)  light green/white stripe (Industrial Blend)

\*Functional longevity ranges are estimates only. Site specific environmental conditions may result in significantly shorter or longer time periods.

## EnviroSoxx Pollutant Filter

Filter Type	Color	Diameter	Item Number	Total Length	Unit Length	Units / Pallet
<b>Advanced</b>	 light green/ black stripe	<b>8 inch</b>	T08-80S8A	80'	10'	8
			T08-160S16A	160'	10'	16
			T08-160S2A	160'	80'	2
		<b>12 inch</b>	T12-50S5A	50'	10'	5
			T12-100S10A	100'	10'	10
			T12-100A	100'	100'	1
<b>Industrial</b>	 light green/ white stripe	<b>8 inch</b>	T08-80S8W	80'	10'	8
			T08-160S16W	160'	10'	16
			T08-160S2W	160'	80'	2
		<b>12 inch</b>	T12-50S5W	50'	10'	5
			T12-100S10W	100'	10'	10
			T12-100W	100'	100'	1

**Note: Stakes not included on EnviroSoxx products.**


Pallet Packaging, Wrapped: black plastic wrapped w/high UV pallet cap.

Approximate Pallet Weights: 1600-1800 lbs (8", 12").

Approximate Pallet Dimensions: 48"L x 40"W x 60"-70"H.

## DrainChexx Inlet Filter Mat

DrainChexx inlet filter mat provides top of grate sediment removal. The 100% recycled rubber mat layer and wood fiber layer (sourced through the Sustainable Forestry Initiative program) are tightly contained by ORIGINAL strength mesh to create a strong, stable inlet filter mat. The combination of mesh, fiber, and matting provides drain filtration, while allowing water to flow through. Use with SiltSoxx or EnviroSoxx for curb opening protection & increased performance.

Mesh Type / Color	Item Number	Unit Dimensions	Units / Box
 ORIGINAL Mesh green/thin black stripe	DC100	36" x 24"	5





# GROSOXX VEGETATED COMPOST SOCK




## GroSoxx

GroSoxx is used to quickly establish vegetation for bank or slope stabilization, green roofs, bioswales, gabions and more. GroSoxx uses DURABLE mesh netting, filled with certified, composted GrowingMedia™ to provide a stable and fertile environment for plant growth. The use of GroSoxx for wall infill speeds construction, eliminates waste, prevents weeds from taking root, and offers a safer installation process. Available pre-seeded throughout, or plant after construction is complete.



## GroSoxx Prefilled - Unseeded


Mesh Color	Diameter	Item Number	Unit Length	Weight/unit (approx.)*	Units / Pallet
 black	8 inch	SGR08-2	2 ft	43 lbs	up to 60
		SGR08-3	3ft	65 lbs	up to 50
	12 inch	SGR12-2	2 ft	72 lbs	up to 40
		SGR12-3	3 ft	105 lbs	up to 30

### Notes:

For pre-seeded GroSoxx, call for custom quote and seed mix options.

\*Pre-filled GroSoxx weights are approximate and vary based on moisture content.

## GroSoxx Mesh (DURABLE MFPP)

Mesh Color	Diameter	Item Number	Unit Type	Length / Unit	Filled length / Unit*	Units / Pallet	Total Feet / Pallet	Total filled Feet / Pallet*
 black	8 inch	J016-PW-004	rolls	300'	270'	45	13,500'	12,150'
	12 inch	J016-PW-005	rolls	300'	255'	42	12,600'	10,710'
	18 inch	J024-PW-006	rolls	300'	255'	45	13,500'	11,475'
	24 inch	J024-PW-003	rucks	300'	225'	18	5,400'	4,050'
	32 inch	J024-PW-009	rolls	300'	225'	24	7,200'	5,400'

**Notes:** \*Filled length is an approximate yield. As mesh is filled, it contracts in length. All rolls & rucks are packed loose on a pallet and wrapped.

## GreenLoxx

The GreenLoxx system utilizes GroSoxx (pg 12) in addition to geogrid, anchors and drip irrigation, for MSE and non-MSE applications such as slope, bank, and shore stabilization (rivers, streams, creeks, ponds, lakes).

MSE	Materials	Slope
No	GroSoxx FLW Geogrid Soil anchors	up to 50°
✓	GroSoxx FLW Geogrid	up to 80°



### **GreenLoxx Components:**

**FLW Geogrid:** Used to wrap layers of GroSoxx. Bidirectional pattern features a 2"x2" opening to eliminate cutting the grid for planting. Multiple geogrid strengths are available.

**Soil Anchors:** Used to secure layers of geogrid and GroSoxx. Anchor sizes from 2'-10' available, as well as various tools.

**Drip Irrigation:** Drip irrigation kits are easy to install and integrate.

Call for availability and system packages.

### **Common Vegetation Options:**

- Grasses, including natives
- Vines and groundcover
- Wildflowers
- Perennials and annuals
- Woody vegetation from live stakes or pots (2" diameter or less so that grids are not cut in planting)



# NOTES

# NOTES

[illegible]

# NOTES



## ABOUT FILTREXX

Filtrex is the leader in Sustainable BMPs for use in erosion and sediment control, stormwater management, pollutant removal, and low impact development to protect our soil, water and environment.

After years of continual research and development, Filtrex technology includes a variety of products for construction and post-construction applications. Our sustainable solutions, built around our proprietary Soxx™ technology, are used in diverse applications such as erosion & sediment control, construction site barriers, stormwater management, pollutant removal, low impact development, green infrastructure, and living walls.

Filtrex collaborates closely with our customers to identify the most appropriate technology for each specific application. Filtrex has an extensive network of partners and distributors to serve customers across the globe.

**Contact us to find a distributor or inquire about joining our distribution network.**

## INDUSTRIES SERVED

- Commercial Construction & Demolition
- Homebuilding
- Oil & Gas
- Pipelines
- Power & Utility
- Solar & Wind
- Municipalities
- DOT Highway & Road
- Environmental Remediation
- Industrial
- Agriculture

## SUSTAINABLE & MADE IN USA

Filtrex products use locally recycled organic materials inside of photodegradable or biodegradable mesh. Diverting these organic materials from landfills and applying them to the soil means a reduction in greenhouse gas emissions, and a lower carbon footprint for your project or site.

All Filtrex mesh materials are manufactured in the USA. Numerous facilities around the country fill the mesh materials with local compost FilterMedia in order to reduce freight costs & emissions.

**Visit [filtrex.com](http://filtrex.com) for product resources:**

- Submittal Forms
- Installation Specs
- Design Specs & CADs



# GROUNDING IN SCIENCE. FILLED WITH POSSIBILITIES.



**filtrex**<sup>®</sup>  
SUSTAINABLE TECHNOLOGIES



FILTREXX AUTHORIZED DISTRIBUTOR:

[www.filtrix.com](http://www.filtrix.com) | 877-542-7699 | [info@filtrix.com](mailto:info@filtrix.com)

USDA Biobased 100% applies to SiltSoxx and GroSoxx. Filtrix, DrainChex, EnviroSoxx, GroSoxx, GreenLoxx, and the Branch & Leaf logo are Registered Trademarks of Filtrix International. SiltSoxx, Traffic Marker, FilterMedia and GrowingMedia are Trademarks of Filtrix International. US Patents 7,226,240; 7,452,165; 7,654,292; 8,272,812; 8,439,607; 8,740,503; 8,821,076; 9,044,795; 9,945,090; and 9,982,409 may apply & patents pending. © 2020 Filtrix International, all rights reserved. Printed June 2020. Version 1.1. All statements, product characteristics, and performance data contained herein are believed to be reliable based on observation and testing, but no representations, guarantees, or warranties of any kind are made as to accuracy, suitability for particular applications, or the results to be obtained. Nothing contained herein is to be considered to be permission or a recommendation to use any proprietary process or technology without permission of the owner. No warranty of any kind, expressed or implied, is made or intended.